


R25-4W + ADAPTIONS

INCREASED FUNCTIONALITY FOR 4-WAY FORKLIFTS
2.0 - 2.5 TON



Fork positioner for 4-way forklifts

R25-4W – Powerful & Reliable

– specifically developed for handling long and heavy loads without compromising the flexibility required for standard pallets.

The R25-4W is equipped with roller-mounted forks and offers a maximum capacity of **2,500 kg at a 600 mm** load center. The positioner delivers high quality, operational reliability and, above all, multiple customization options for safer material handling.

Integrate camera systems, sensors and telescopic forks – all while maintaining virtually unobstructed visibility through the positioner.

The result is a solution that provides the operator with better control, increased safety and improved efficiency in every lift.

The positioners are suitable for both 2.0- and 2.5 ton forklifts and are available in two standard widths: 1,550 mm and 2,220 mm.



POSITIONER + COMMON ADAPTIONS

Model	Capacity / Load center kg / mm	Width mm	Forks BxTxL mm	Opening range mm	Side shift mm (±)	COG mm	LL mm	Weight kg	Height mm
R25-4W									
R25-4W/155	2500/600	1550	125x50x1200	510-1550	289	195	155	415	730
R25-4W/222		2220	125x50x1200	510-2220	457	180	155	470	730
Cameras & Lasers - Hagaberg Assistance Systems									
R25-4W/155	2500/600	1550	Multiple variations*	520-1560	289	132	150	493	885 (incl. hoses)
R25-4W/222		2220	Multiple variations*	520-2230	457	117	150	548	885 (incl. hoses)
SmartFork@									
R25-4W/155	2500/600	1550	Multiple variations**	510-1550	289	195	155	415	730
R25-4W/222		2220	Multiple variations**	510-2220	457	180	155	470	730
KOOI@ ReachForks									
R25-4W/155	2500/600	1550	161/169 x 57x1350/1000	510-1550	289	195	155	415	730
R25-4W/222		2220	161/169 x 57x1350/1000	510-2220	457	180	155	470	730

* SideCam, FrameCam, Laser

** SideCam, FrontCam, PremiumCam, Laser, EasySecure, Flash


CAMERAS & LASERS – Hagaberg Assistance Systems

A fork camera provides a line of sight along the forks, helping the operator verify fork tip position during pallet entry. With a frame camera mounted in the upper beam, the operator's field of vision is shifted forward beyond the mast and fork positioner. For precision a laser can be integrated into one of the fork tips.



SMARTFORK@ – Forks with Built-In Intelligence

SmartFork@ is an assistance system available in several versions, combining camera and sensor technology to improve visibility, awareness and positioning. Choose from multiple camera angles, Laser, integrated EasySecure sensors and Flash for enhanced visibility and fork entry depth indication.



KOOI@ REACHFORKS – Hydraulic Telescopic Forks

KOOI@ ReachForks are telescopic forks with integrated hydraulics that can be operated directly from the driver's seat. They are ideal for loading and unloading trucks as well as pallet racking applications.

Available options include camera solutions, pallet stops and electronically controlled positioning.



Hagaberg

RELIABILITY + INNOVATION

Hagaberg provides solutions that help companies work more safely and efficiently with material handling. We are driven by the design and manufacture of fork positioners and system solutions tailored to both the forklift and the user's specific application. Our shared focus is always to deliver the market's best products and customer service.

Phone: +46 583 57 44 00
E-mail: info@hagaberg.com
Website: www.hagaberg.com